



STK

19"

10"

**komunikacijske
omare**
communication
cabinets



Vse pogostejša integracija podatkovnih in komunikacijskih omrežij v vseh industrijskih panogah, telekomunikacijah, v servisnih storitvah in terciarnem sektorju zahteva ustrezne omare z raznolikim priborom. Kombinacija pravilno izbrane telekomunikacijske opreme in 19" komunikacijske omare podjetja Monel pro d.o.o. zagotavlja varnost in učinkovitost delovanja. Poleg funkcionalnosti 19" omare smo v podjetju Monel pro d.o.o. veliko vložili na področju estetike videza 19" omar. Tako smo uspeli združiti dva pomembna elementa v celoto, ob tem, da smo še vedno obdržali ceno, konkurenčno sprejemljivega izdelka.

Prednost 19" komunikacijske omare podjetja Monel pro d.o.o. je v njenem ogrodju, katerega sestavni deli je 1,5 in 2 mm debela pločevina (barva Ral 7016), pritrjena na vertikalni nosilni aluminij profil. Omara je na ta način dovolj trdna tudi za najzahtevnejše kupce. Poleg njene trdnosti pa jo odlikuje tudi njena funkcionalnost. Sistem montaže vrat in hitro snemljivih stranic omogoča pooblaščenim osebam hiter dostop do komponent. V sistemih kjer vrata in stranice niso potreben, lahko omaro uporabimo kot ogrodje. V primeru, da potrebujemo večje število omar ali ogrodij lahko le-te z namenskim spojnikom spajamo med seboj v vrsto.

19" sistem iz jeklene pocinkane pločevine je pritrjen na vzdolžne profile, ki omogočajo globinski razmak 19" sistema.

Vse stranice so hitro snemljive in opremljene s ključavnico.

Dovod kablov v omaro je možen z vseh strani spodaj in z zadnje strani zgoraj.

Omare tip PS 700, PS 800 so na prednji strani opremljene z vertikalnimi urejevalci kablov (polkrožna objemka 60 mm x 170 mm).



An increasingly frequent integration of data and communication networks in all branches of industry, telecommunications, after sale services, and tertiary sector requires suitable cabinets with diverse accessories. A combination of properly selected telecommunication equipment and 19" communication cabinets produced by the Monel pro d.o.o. company ensures safe and efficient operation. In addition to functionality of a 19" cabinet, the Monel pro d.o.o. company has also invested a great deal of effort in the area of outward aesthetics of 19" cabinets. Hence, we have managed to combine two important elements into a whole, while still preserving the price of a competitively acceptable product.

The advantage of 19" communication cabinets of Monel pro d.o.o. company is in its frame. The cabinet is constructed of a frame, which is made of a steel sheet 1.5 and 2 mm thick (colour Ral 7016), attached to the vertical supporting extruded aluminium profile. The cabinet is in this way strong enough for the most demanding customers.

In addition to its strength it is also distinguished for its functionality. System of quick door mounting and quickly removable side panels allow authorized personnel easy access to components.

A 19" system made of steel zinc-coated sheet is fixed to longitudinal profiles, which enable depth space of a 19" system.

All side panels are quickly removable and equipped with a lock.

Cables can be installed into the cabinet from the lower side of all panels and from the upper side of the rear panel.

Cabinets of the PS 700, PS 800 types are on the front side equipped with vertical cable holders (semicircular clamp 60 mm x 170 mm).



VSEBINA: CONTENTS:

- 4 19" PROSTO STOJEČE OMARE TIP PS 600, PS 700, PS 800
19" SELF-STANDING CABINETS – TYPE PS 600, PS 700, PS 800
- 6 19" SERVER OMARE TIP SR 600, SR 700, SR 800
19" SERVER CABINETS TYPE SR 600, SR 700, SR 800
- 8 19" NIZKE OMARE TIP MPS 560
19" LOW CABINETS TYPE MPS 560
- 10 19" ZIDNE OMARE TIP ZD 560
19" WALL CABINETS TYPE ZD 560
- 12 DODATNA OPREMA ZA 19" KOMUNIKACIJSKE IN SERVER OMARE
ADDITIONAL EQUIPMENT FOR 19" COMMUNICATION AND SERVER CABINETS
- 14 ZIDNA TELEKOMUNIKACIJSKA 10" OMARICA TIP: STK 10
10" WALL MOUNTED TELECOMMUNICATION CABINET TYPE: STK 10
- 15 TELEKOMUNIKACIJSKE STANOVANJSKE OMARICE TIP STK
TELECOMMUNICATION HOME LOCKER TYP STK
- 16 TELEKOMUNIKACIJSKA STANOVANJSKA OMARICA TIP: STK 4035-13 in
TELEKOMUNIKACIJSKA PODOMETNA STANOVANJSKA OMARICA TIP: STK 4035-12
TELECOMMUNICATION ABOVE-PLASTER HOME LOCKER TYPE: STK 4035-13 and
TELECOMMUNICATION UNDER-PLASTER HOMELOCKER, TYPE: STK 4035-12
- 17 RAZDELILNA NADOMETNA ELEKTRIČNA OMARICA TIP: STE 4535-13 in
RAZDELILNA PODOMETNA ELEKTRIČNA OMARICA TIP: STE 4535-12
ABOVE-PLASTER ELECTRICAL LOCKER, TYPE: STE 4535-13 and
UNDER-PLASTER ELECTRICAL LOCKER, TYPE: STE 4535-12
- 18 KOMBINIRANA TELEKOMUNIKACIJSKA-ELKTRO NADOMETNA STANOVANJSKA
OMARICA TIP: STK 8239-13
COMBINED TELECOMMUNICATION-ELECTRICAL ABOVE-PLASTER HOME LOCKERS
TYPE: STK 8239-13
- 19 KOMBINIRANA TELEKOMUNIKACIJSKA-ELKTRO PODOMETNA STANOVANJSKA OMARICA
TIP: STK 4575-12 – VERTIKALNA
TIP: STK 8541-12 - HORIZONTALNA
COMBINED TELECOMMUNICATION-ELECTRICAL UNDER-PLASTER
RESIDENTIAL LOCKERS TYPE: STK 4575-12 – VERTICAL,
TYPE: STK 8541-12 -HORIZONTAL



19" PROSTO STOJEČE OMARE TIP PS 600, PS 700, PS 800

Prosto stoječe omare se uporabljajo za vgradnjo različnih komponent mrežne opreme z veliko elementi. Omare so različnih širin, globin in višin ter tako ustrezajo vsem zahtevam montaže današnje telekomunikacijske mrežne opreme.

Tehnični opis omare:

S sprednje strani so steklena vrata v kovinskem okvirju s ključavnico. Steklo vrat je sivo tonirano.

Možnosti izbire:

Izbiramo lahko med različnimi tipi vrat: kovinska perforirana vrata, steklena vrata v perforiranem kovinskem okvirju, kovinska vrata.

Zadnja stena se lahko zamenja s katerimi koli zgoraj navedenimi vrati.

Na pokrovu je mogoča vgradnja dveh hladilnih enot – štiri ventilatorji.

Na dnu omare je lahko vstavljena »polica dna«.

Namesto regulirnih nogic lahko omaro opremimo z voznim podnožjem, primernim za prosto stoječe omare. Pri večjih količinah je mogoča izbira barve po Ral karti.



19" SELF-STANDING CABINETS – TYPE PS 600, PS 700, PS 800

Self-standing cabinets can be used for installation of different components of network equipment with many elements. Cabinets have different widths, depths, and heights, and hence meet all installation requirements of contemporary telecommunication network equipment.

Cabinet technical description:

On the front side there are glass doors in a metal frame with a lock. Door glass is tinted gray.

You can choose among the following options:

You can choose among various types of doors: metal perforated doors, glass doors in perforated metal frame, metal doors.

Back wall can be replaced by any door introduced above.

Installation of two cooling units – four ventilators – is possible on the cover.

"Bottom shelf" can be inserted at the bottom of the cabinet.



Instead of adjustable legs the cabinet can be equipped with a movable base appropriate for self-standing cabinets. In case of greater quantities you can select colours according to the Ral chart.



19" PROSTO STOJEČE OMARE TIP PS 600, PS 700, PS 800

19" SELF-STANDING CABINETS – TYPE PS 600, 700, 800

OZNAKA	A-ŠIRINA (mm)	G-GLOBINA (mm)	HE	H-VIŠINA (mm)	g-GLOBINA RAZMIKA (mm)	ZALOGA *
DESIGNATION	A-WIDTH (mm)	G-DEPTH (mm)		H-HEIGHT (mm)	g-DEPTH OF RASTER (mm)	STOCK *
PS 6060 30 HE	600	600	30	1519	390	●
PS 6060 32 HE	600	600	32	1608	390	●
PS 6060 36 HE	600	600	36	1786	390	●
PS 6060 42 HE	600	600	42	2074	390	●
PS 6060 46 HE	600	600	46	2230	390	
PS 6080 42 HE	600	800	42	2074	576	●
PS 6080 46 HE	600	800	46	2230	576	●
PS 7070 30 HE	700	700	30	1519	476	
PS 7070 36 HE	700	700	36	1786	476	●
PS 7070 42HE	700	700	42	2074	476	●
PS 7070 46 HE	700	700	46	2230	476	●
PS 8080 42 HE	800	800	42	2074	576	●
PS 8060 42 HE	800	600	42	2074	390	
PS 8080 46 HE	800	800	46	2230	576	●



* Omare označene s piko, so na zalogi ter dobavljive najkasneje v 3-eh dneh.
Omارة, ki niso označene s piko preveri zalogo.

* Cabinets marked with a point are in stock and available within 3 days maximum.
Check stock for cabinets that are not marked.

19" SERVER OMARE TIP SR 600, SR 700, SR 800

Glavna značilnost server omare je ojačan horizontalni in vertikalni 19" profil, kar daje omari še večjo trdnost. Omara je tako namenjena vgradnji težkih komponent. Zaradi narave opreme, ki se montira v server omaro, je le-ta odlično zračena s sistemom perforiranih kovinskih vrat, kar onemogoči pregrevanje občutljive telekomunikacijske opreme.

Tehnični opis omare:

S sprednje strani so steklena vrata v perforiranem kovinskem okvirju s ključavnico. Steklo vrat je sivo tonirano. Zadaj so zaradi boljše zračnosti kovinska perforirana vrata.

Možnosti izbire:

Izbiramo lahko med različnimi tipi vrat:

- spredaj: kovinska perforirana vrata, steklena vrata v kovinskem okvirju, kovinska vrata;
- zadaj: kovinska perforirana vrata, steklena vrata v kovinskem okvirju, kovinska vrata.

Na pokrovu je mogoča vgradnja dveh hladilnih enot – štirje ventilatorji.

Na dnu omare je lahko vstavljena »polica dna«.

Omara je lahko opremljena z voznim podnožjem, primernim za server omare.

Pri večjih količinah je mogoča izbira barve po Ral karti.



19" SERVER CABINETS TYPE SR 600, SR 700, SR 800

The main feature of the server cabinet is a reinforced horizontal and vertical 19" profile, which gives the cabinet even greater strength. Hence, the cabinet is intended for installation of heavy components. Due to the nature of the equipment, which is mounted into the server cabinet, the cabinet is excellently ventilated with a system of perforated metal doors, consequently preventing overheating of sensitive telecommunication equipment.

Cabinet technical description:

On the front side there are glass doors in a perforated metal frame with a lock. Door glass is tinted gray.

Metal perforated doors in the rear enable better ventilation.

You can choose among the following options:

You can choose among various types of doors:

- Front side: metal perforated doors, glass doors in metal frame, metal doors
- Rear side: metal perforated doors, glass doors in metal frame, metal doors

Installation of two cooling units – four ventilators – is possible on the cover.

"Bottom shelf" can be inserted at the bottom of the cabinet.

The cabinet can be equipped with a movable base appropriate for server cabinets.



In case of greater quantities you can select colours according to the Ral chart.



19" SERVER OMARE TIP SR 600, 700, 800

19" SERVER CABINETS – TYPE SR 600, 700, 800

OZNAKA	A-ŠIRINA (mm)	G-GLOBINA (mm)	HE	H-VIŠINA (mm)	g-GLOBINA RAZMIKA (mm)	ZALOGA*
DESIGNATION	A-WIDTH (mm)	G-DEPTH (mm)		H-HEIGHT (mm)	g-DEPTH OF RASTER (mm)	STOCK *
SR 6090 21HE	600	900	21	1112	740	●
SR 6090 30HE	600	900	30	1519	740	
SR 6090 42HE	600	900	42	2074	740	●
SR 6090 46HE	600	900	46	2230	740	
SR 60100 42HE	600	1000	42	2074	740	●
SR 60100 46HE	600	1000	46	2230	740	
SR 7090 21HE	700	900	21	1112	740	●
SR 7090 30HE	700	900	30	1519	740	
SR 7090 42HE	700	900	42	2074	740	●
SR 7090 46HE	700	900	46	2230	740	●
SR 70100 42HE	700	1000	42	2074	740	●
SR 70100 46HE	700	1000	46	2230	740	
SR 80100 42HE	800	1000	42	2074	740	●
SR 80100 46HE	800	1000	46	2230	740	●



19" NIZKE OMARE TIP MPS 560

Nizke prosto stoječe omare so namenjene vgradnji mrežne opreme z manjšim številom kabljskih priključkov oziroma za manjša računalniška omrežja. Različne dimenzije nizkih omar omogočajo funkcionalnost postavitve v prostoru.

Tehnični opis omare:

Spredaj so steklena vrata s ključavnico.
Steklo vrat je sivo tonirano.

Možnosti izbire:

Izbiramo lahko med različnimi tipi vrat: steklena vrata v kovinskem okvirju, perforirana kovinska vrata, kovinska vrata.

Zadnja stena se lahko zamenja s katerimi koli zgoraj navedenimi vrati.

Namesto regulirnih nogic lahko omaro opremimo z voz-nim podnožjem, primernim za nizke omare.

Pri večjih količinah je mogoča izbira barve po Ral karti.



19" LOW CABINETS TYPE MPS 560

Low self-standing cabinets are intended for installing network equipment with a smaller number of cable connections or smaller computer networks. Various dimensions of low cabinets guarantee functionality of placing within a space.

Cabinet technical description:

On the front side there are glass doors with a lock. Door glass is tinted gray.

You can choose among the following options:

You can choose among the following options:

You can choose among various types of doors: glass doors in metal frame, perforated metal doors, and metal doors.

Back wall can be replaced by any door introduced above.

Instead of adjustable legs the cabinet can be equipped with a movable base appropriate for low cabinets.


In case of greater quantities you can select colours according to the Ral chart.



19" NIZKE OMARE TIP MPS 560

19" LOW CABINETS – TYPE MPS 560

OZNAKA	A-ŠIRINA (mm)	G-GLOBINA (mm)	HE	H-VIŠINA (mm)	g-GLOBINA RAZMIKA (mm)	ZALOGA*
DESIGNATION	A-WIDTH (mm)	G-DEPTH (mm)		H-HEIGHT (mm)	g-DEPTH OF RASTER (mm)	STOCK *
MPS 5660 12HE	560	600	12	614	385	
MPS 5660 15HE	560	600	15	747	385	•
MPS 5660 18HE	560	600	18	880	385	•
MPS 5660 21HE	560	600	21	1014	385	•
MPS 5660 24HE	560	600	24	1147	385	•
MPS 5660 27HE	560	600	27	1280	385	•



19" ZIDNE OMARE TIP ZD 560

Na zadnji strani omare je kovinska stena, kar omogoča hitro montažo na steno.

Tehnični opis omare:

Spredaj so steklena vrata s ključavnico. Steklo vrat je sivo tonirano.

Možnosti izbire:

Izbiramo lahko med različnimi tipi vrat: steklena vrata v kovinskem okvirju, perforirana kovinska vrata, kovinska vrata.

Pri večjih količinah je mogoča izbira barve po Ral karti.



19" WALL CABINETS TYPE ZD 560

Metal wall on the rear side of the cabinet enables quick mounting on the wall.

Cabinet technical description:

On the front side there are glass doors with a lock. Door glass is tinted gray.

You can choose among the following options:


You can choose among various types of doors: glass doors in metal frame, perforated metal doors, and metal doors.

In case of greater quantities you can select colours according to the Ral chart.

19" ZIDNE OMARE TIP ZD 560


19" WALL CABINETS – TYPE ZD 560

OZNAKA	A-ŠIRINA (mm)	G-GLOBINA (mm)	HE	H-VIŠINA (mm)	g-GLOBINA RAZMIKA (mm)	ZALOGA*
DESIGNATION	A-WIDTH (mm)	G-DEPTH (mm)		H-HEIGHT (mm)	g-DEPTH OF RASTER (mm)	STOCK *
ZD 5640 6HE	560	400	6	322	175	●
ZD 5640 9HE	560	400	9	455	175	●
ZD 5650 12HE	560	500	12	589	263	●
ZD 5650 15HE	560	500	15	722	263	●
ZD 5650 18HE	560	500	18	855	263	●
ZD 5650 21HE	560	500	21	989	263	●
ZD 5650 24HE	560	500	24	1122	263	
ZD 5660 12HE	560	600	12	589	385	●
ZD 5660 15HE	560	600	15	722	385	●
ZD 5660 18HE	560	600	18	855	385	●
ZD 5660 21HE	560	600	21	989	385	●
ZD 5660 24HE	560	600	24	1122	385	●




DODATNA OPREMA ZA 19" KOMUNIKACIJSKE IN SERVER OMARE

ADDITIONAL EQUIPMENT FOR 19" COMMUNICATION AND SERVER CABINETS



Urejevalec kablov 1HE – R60
Cable holder 1HE – R60

Urejevalec kablov 1HE – Z4
Cable holder 1HE – Z4



Urejevalec kablov 1HE – R100
Cable holder 1HE – R100




Razdelilnik 19" 230V 9 vt. 1HE
Razdelilnik 19" 230V 8 vt. + stikalo 1 He
Razdelilnik 19" 230V 6 vt. 1 He s prenapetostno zaščito
Razdelilnik 19" 230V 8 vt. 1 He priklop na UPS
Power strip 19" 230V 9 outlets 1HE
Power strip 19" 230V 8 outlets 1HE + switch
Power strip 19" 230V 6 outlets 1 He with circuit breaker protection
Power strip 19" 230V 8 outlets 1 He, input Euro C13



Panel cat 5e UTP 24-P 1 He
Panel cat 6 UTP 24-P 1 He
Panel cat 5e FTP 24-P 1 He
Panel cat 6 FTP 24-P 1 He
Patch panel cat 5e UTP 24-P 1 He
Patch panel cat 6 UTP 24-P 1 He
Patch panel cat 5e FTP 24-P 1 He
Patch panel cat 6 FTP 24-P 1 He




Hladilna enota z dvema ventilatorjema
Cooling unit with two fans




Digitalni termostat 1 He
Digital thermostat 1 He



Analogni termostat
Analog thermostat




Izvlačna polica PS 600 do 28 kg
Izvlačna polica PS 700 do 28 kg
Izvlačna polica PS 800 do 28 kg
Izvlačna polica SR 900 do 28 kg
Izvlačna polica PS 600 do 120 kg
Izvlačna polica PS 700 do 120 kg
Izvlačna polica PS 800 do 120 kg
Izvlačna polica SR 900 do 120 kg
Pull-out shelf PS 600 up to 28 kg
Pull-out shelf PS 700 up to 28 kg
Pull-out shelf PS 800 up to 28 kg
Pull-out shelf SR 900 up to 28 kg
Pull-out shelf PS 600 up to 120 kg
Pull-out shelf PS 700 up to 120 kg
Pull-out shelf PS 800 up to 120 kg
Pull-out shelf SR 900 up to 120 kg




Polica 19" PS 600 do 120 kg
 Polica 19" PS 700 do 120 kg
 Polica 19" PS 800 do 120 kg
 Polica 19" SR 900 do 120 kg
 Shelf 19" PS 600 up to 120 kg
 Shelf 19" PS 700 up to 120 kg
 Shelf 19" PS 800 up to 120 kg
 Shelf 19" SR 900 up to 120 kg

Polica 19" ZD 400 do 28 kg
 Polica 19" ZD 500 do 28 kg
 Polica 19" MPS 600 do 28 kg
 Polica 19" PS 600 do 28 kg
 Polica 19" PS 700 do 28 kg
 Polica 19" PS 800 do 28 kg
 Polica 19" SR 900 do 28 kg
 Shelf 19" ZD 400 up to 28 kg
 Shelf 19" ZD 500 up to 28 kg
 Shelf 19" MPS 600 up to 28kg
 Shelf 19" PS 600 up to 28 kg
 Shelf 19" PS 700 up to 28 kg
 Shelf 19" PS 800 up to 28 kg
 Shelf 19" SR 900 up to 28 kg



19" polica, perforirana 2HE
 19" shelf perforated 2HE


19" polica 2HE
 19" shelf 2HE



ST nosilec PS 600
 ST nosiles PS 700
 ST nosilec PS 800
 ST nosilec SR 900
 ST holder PS 600
 ST holder PS 700
 ST holder PS 800
 ST holder SR 900



Slepa plošča 1 HE, 2 HE, 3 HE
 Blank panel 1 HE, 2HE, 3 HE



Objemka za kable, polkrožna
 Semicircular cable clamp



Vozno podnožje PS, SR
 Trundle base PS, SR

Vozno podnožje MPS, ZD
 Trundle base MPS, ZD



Regulirne nogice PS, SR
 Adjustable legs PS, SR



Element za spajanje omar
 Element for connecting cabinets



Matica s kletko in vijakom
 Cage nut and screw

ZIDNA TELEKOMUNIKACIJSKA 10" OMARICA TIP: STK 10

Zidna telekomunikacijska 10" omarica širine 365 mm, višine 440 mm ter globine 235 mm je zaradi njene funkcionalne uporabe in estetskega videza primerna predvsem za sodobne rešitve po meri kupca, ki zahtevajo, da se najmanjše aplikacije opremijo po naj sodobnejših standardih, tako, da zavzamejo čim manj prostora. **Prednosti STK 10 omarice so predvsem v njeni dostopni montaži. Celovita odstranitev pokrova omogoča enostaven dostop do ogrodja omarice STK 10 tako z leve kot desne strani. Poleg hitrega dostopa, omogoča skrbno načrtovano ogrodje tudi pregledno in urejeno montažo tako, da omara kljub njeni majhni dimenziji lahko funkcionalno nadomesti omare 19" dimenzij vse tja do višine 12 He.**

Standardna oprema:

- dimenzije: širina 365 mm, višina 440 mm, globina 235 mm
- hitro snemljiv pokrov omarice
- na pokrovu tonirano steklo
- perforacija na bočnih straneh omogoča boljšo zračnost
- ogrodje STK 10
- dovod kablov: zgoraj, spodaj ter hrbitišču omarice
- barva omarice: Ral 7016, 9010
- možnost izvedbe omaric drugih dimenzij

Dodatna oprema, možnost namestitve:

- Električni razdelilec 10" 4 x 230V »Šuko« tip vtičnice
- UTP 12-portni panel 10"
- 10" urejevalec kablov STK10
- Polica STK 10



10" WALL MOUNTED TELECOMMUNICATION CABINET TYPE: STK 10

Due to its functional use and aesthetic appearance, the 10" wall mounted cabinet with dimensions 365 X 440 X 235 mm (W, H, D) is mainly suitable for modern custom-made customer solutions, which demand the smallest applications to be equipped according to the most up-to-date standards, so they take up as little space as possible.

The main advantage of the STK 10 cabinet is its accessible installation. The removal of the whole lid allows easy access to the framework of the STK 10 cabinet from both sides.

Besides the quick access, the carefully designed framework also allows a clear and tidy installation, so that the cabinet can functionally replace the 19" cabinets up to the height of 12 He, despite of its small dimensions.

Standard equipment:

- dimensions: Width 365 mm, height 440 mm, depth 235 mm
- easily removable cabinet lid equipped
- coloured glass of the lid
- perforation of side panels allows better ventilation
- STK 10 framework
- cable entry: above, under and through the back of the cabinet
- colour: Ral 7016, 9010
- possibility of different cabinet dimensions

Optional equipment, installation type:

- 10" electric distribution box 4 x 230V
- 10" UTP 12-port panel
- 10" cable arranger R10
- STK 10 shelf



TELEKOMUNIKACIJSKE STANOVANJSKE OMARICE TIP STK

Zaradi nenehne težnje po razvijanju nove telekomunikacijske opreme ter prilagajanju zahtevam trga smo v podjetju Monel pro d.o.o. razvili telekomunikacijske omarice manjših dimenzij, ki so namenjene predvsem za manjše sisteme (SOHO - small office home office). Telekomunikacijska stanovanjska omarica širine 450 mm, višine 380 mm ter globine 130 mm je zaradi njene majhne globine, funkcionalne uporabe in estetskega videza primerna predvsem za stanovanjska in hišna poslopja. Omarica tako omogoča sodobne rešitve po meri kupca, ki zahtevajo, da se najmanjše aplikacije opremijo po najsodobnejših standardih, tako, da zavzamejo čim manj prostora.

Poleg nadometnih telekomunikacijskih omaric smo v podjetju Monel pro d.o.o. razvili tudi podometne telekomunikacijske omarice. Telekomunikacijska podometna stanovanjska omarica širine 450 mm, višine 410 mm ter globine 120 mm je zaradi njene funkcionalne narave primerna predvsem za novozgrajena stanovanjska poslopja, kjer je zaradi projektnih odločitev primerna predvsem podometna izvedba. Podometna omarica vsebuje vse funkcionalne karakteristike nadometne omarice.

Prednosti stanovanjske telekomunikacijske omarice podjetja Monel pro d.o.o. so tako predvsem v njenih majhnih dimenzijah, modernemu videzu ter funkcionalni uporabi. V omaro lahko kljub njeni majhni globini tako vključimo vse aktivne enote različnih operaterjev, routerje, telefonsko inštalacijo, kabelsko inštalacijo, optiko ob tem, da obdržimo nizke stroške nakupa. Omarica je namreč zasnovana na tako imenovani modularni način, kjer lahko v omaro po želji, potrebi in denarnemu vložku namestimo posamezne komponente.



TELECOMMUNICATION HOME LOCKER TYP STK

Because of constant tendency to develop new telecommunication equipment and to adjust to demands of the market, we in the company Monel pro d.o.o. have developed telecommunication lockers of smaller dimensions that are intended for smaller systems (SOHO - small office home office). Because of its small depth, functional use and esthetic look, network residential locker is appropriate mostly for residential and house buildings. Locker enables modern custom solutions that demand from smaller applications to be equipped according to most modern standards, so they take as little space as possible.

We, in the company Model pro d.o.o., have developed beside above-plaster telecommunication lockers also under-plaster telecommunication lockers. Because of its functional nature, network under-plaster home locker is appropriate for newly build buildings, where under-plaster is most suitable. Under-plaster locker includes all functional characteristics of above-plaster locker.

Advantages of home telecommunication locker from the company Monel pro d.o.o. are their small dimensions, modern look and functional use. Despite its small depth, they are appropriate for including all active units of different operators, routers, telephone installations, optics and preserving low purchase costs. Locker is designed according to so called modular way, where we can replace individual components according to customer wishes, needs or money input.



TELEKOMUNIKACIJSKA STANOVANJSKA OMARICA TIP: STK 4035-13 in TELEKOMUNIKACIJSKA PODOMETNA STANOVANJSKA OMARICA TIP: STK 4035-12

Standardna oprema:

- kovinsko ohišje podometne omarice
- dimenzije: širina 430 mm, višina 380 mm, globina: 130 mm-nadometna, 120 mm-podometna
- steklena vrata v perforiranem kovinskem okvirju
- tonirano steklo
- perforacija na vratih omogoča boljšo zračnost
- polica STK
- dovod kablov: zgoraj, spodaj ter hrbtišču omarice
- barva omarice: po dogovoru; Ral karta

Dodatna oprema, možnost namestitve:

- polica STK
- do 4 vtičnice 220 V
- do 15 UTP konektorjev
- optična kasetna
 - do 4 optične adapterje tip ST
 - do 2 optična adapterja tip SC



OZNAKA	ŠIRINA (mm)	GLOBINA (mm)	VIŠINA (mm)	ZALOGA *
DESIGNATION	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)	STOCK *
STK 4027-10	400	100	270	
STK 4035-13	400	130	350	•
STK 4550-13	450	130	500	
STK 4560-13	450	130	600	
STK 4027-12	400	120	270	
STK 4035-12	400	120	350	•
STK 4550-12	450	120	500	
STK 4560-12	450	120	600	

TELECOMMUNICATION ABOVE-PLASTER HOME LOCKER TYPE: STK 4035-13 and TELECOMMUNICATION UNDER-PLASTER HOME LOCKER, TYPE: STK 4035-12

Standard equipment:

- Metal housing of telecommunication locker
- Dimensions: width: 430 mm, height: 380 mm, depth: 130 mm, 120 mm-under-plaster
- Glass door in metal perforated frame
- Toned glass on the cover
- Perforation on metal doors enables better ventilation
- STK shelf
- Cable conduit: above, under
- Color of the locker: by arrangement; Ral card
- Possible lockers of other dimensions

Additional equipment, installation possibility:

- Additional shelf STK
- Up to 4 sockets 230V
- Up to 15 UTP connectors
- Optical cassette
- Optional:
 - Up to 4 optical adapters, type ST
 - Up to 2 double optical adapters, type SC



RAZDELILNA NADOMETNA ELEKTRIČNA OMARICA TIP: STE 4535-13 in RAZDELILNA PODOMETNA ELEKTRIČNA OMARICA TIP: STE 4535-12

Standardna oprema:

- kovinsko ohišje elektro omarice
- dimenzije: širina 430 mm, višina 380 mm, globina: 130 mm-nadometna, 120 mm-podometna
- steklena vrata v kovinskem okvirju
- tonirano steklo
- možnost namestitve 40 vgradnih instalacijskih elementov
- barva omarice: po dogovoru; Ral karta



OZNAKA	ŠIRINA (mm)	GLOBINA (mm)	VIŠINA (mm)	ZALOGA *
DESIGNATION	WIDTH (mm)	DEPTH (mm)	HEIGHT (mm)	STOCK *
STE 4027-10	400	100	270	
STE 4035-13	400	130	350	•
STE 4535-13	450	130	350	
STE 4550-13	450	130	500	
STE 4560-13	450	130	600	
STE 4027-12	400	120	270	
STE 4035-12	400	120	350	•
STE 4550-12	450	120	500	
STE 4560-12	450	120	600	

ABOVE-PLASTER ELECTRICAL LOCKER, TYPE: STE 4535-13 and UNDER-PLASTER ELECTRICAL LOCKER, TYPE: STE 4535-12

Standard equipment:

- Metal locker
- Dimensions: width: 430 mm, height: 380 mm, depth: 130 mm, 120 mm-under-plaster
- Quickly removable locker cover
- Toned glass on the cover
- Possible installation of 40 integrated installation elements
- Color of the locker: by arrangement; Ral card
- Possible choice of plexi doors and version of locker in different dimensions



KOMBINIRANA TELEKOMUNIKACIJSKA-ELKTRO NADOMETNA STANOVANJSKA OMARICA TIP: STK 8239-13

Prednosti stanovanjske omrežne omarice podjetja Monel pro d.o.o., je predvsem njena funkcionalnost. Poleg elektro dela, predvideni telekomunikacijski del, omogoča hitro montažo ter pregledno in urejeno rešitev.

Standardna oprema:

- kovinska stanovanjska omarica:
- dimenzije: širina 820 mm, višina 390 mm, globina 130 mm
- dvojna steklena vrata v kovinskem okvirju s ključavnico
- perforacija na bočnih straneh omogoča boljšo zračnost
- tonirano steklo
- polica STK
- možnost namestitve 40 vgradnih instalcijskih elementov
- dovod kablov: zgoraj, spodaj, levo, desno ter hrbtišču omarice
- barva omarice, Ral 9010 oz. po dogovoru; Ral karta
- možnost izvedbe omaric drugih dimenzij

Dodatna oprema, možnost namestitve:

- polica STK
- do 4 vtičnice 230 V
- do 15 UTP konektorjev
- optična kasetna
- možnost izbire:
 - do 4 optične adapterje tip ST
 - do 2 dvojna optična adapterja tip SC
 - do 4 enojne optične adapterje tip SC
 - do 4 optične adapterje LC



COMBINED TELECOMMUNICATION-ELECTRICAL ABOVE-PLASTER HOME LOCKERS TYPE: STK 8239-13

Advantage of home network locker of the company Model pro d.o.o. is mostly its functionality. Beside electrical part, there is also estimated telecommunication part that enables quick installation and clear and neat solution.

Standard equipment:

- Metal residential locker:
- Dimensions: width: 820 mm, height: 390 mm, depth: 130 mm
- Double glass door with metal frame with lock
- Perforation on side walls enables better ventilation
- Toned glass
- STK shelf
- Possible installation of 40 integrated installation elements
- Cable conduit: above, under, left, right and back side of the locker
- Colour of the locker, Ral 9010 or by arrangement; Ral card
- Possible different dimensions of the locker

Additional equipment, installation possibility:

- Up to 4 socket 230V
- Up to 15 UTP connectors
- Optical cassette
- Optional:
 - Up to 4 optical adapters, type ST
 - Up to 2 double optical adapters, type SC
 - Up to 4 single optical adapters, type SC
 - Up to 4 optical adapters LC



KOMBINIRANA TELEKOMUNIKACIJSKA-ELEKTRO PODOMETNA STANOVANJSKA OMARICA

TIP: STK 4575-12 – VERTIKALNA

TIP: STK 8541-12 - HORIZONTALNA

Standardna oprema:

- kovinska stanovanjska omarica:
- dimenzije: širina 450 mm, višina 750 mm, globina 120 mm - vertikalna
- dimenzije: širina 850 mm, višina 410 mm, globina 120 mm - horizontalna
- dvojna steklena vrata v perforiranem kovinskem okvirju s ključavnico
- tonirano steklo
- polica STK
- možnost namestitve 40 vgradnih instalacijskih elementov
- dovod kablov: zgoraj, spodaj, levo, desno ter hrbtišču omarice
- barva omarice, Ral 9010 oz. po dogovoru; Ral karta
- možnost izvedbe omaric drugih dimenzij

Dodatna oprema, možnost namestitve:

- do 4 vtičnice 230 V
- do 15 UTP konektorjev
- optična kasetna
- možnost izbire:
 - do 4 optične adapterje tip ST
 - do 2 dvojna optična adapterja tip SC
 - do 4 enojne optične adapterje tip SC
 - do 4 optične adapterje LC



COMBINED TELECOMMUNICATION-ELECTRICAL UNDER-PLASTER RESIDENTIAL LOCKERS

TYPE: STK 4575-12 – VERTICAL,

TIP: STK 8541-12 -HORIZONTAL


Standard equipment:

- Metal residential locker:
- Dimensions: width: 450 mm, height: 750 mm, depth: 120 mm – vertical
- Dimensions: width: 850 mm, height: 410 mm depth: 120 mm- horizontal
- Double glass door with perforated metal frame with lock
- Toned glass
- STK shelf
- Possible installation of 40 integrated installation elements
- Cable conduit: above, under, left, right and back side of the locker
- Color of the locker, Ral 9010 or by arrangement; Ral card
- Possible different dimensions of the locker

Additional equipment, installation possibility:

- Up to 4 socket 230V
- Up to 15 UTP connectors
- Optical cassette
- Optional:
 - Up to 4 optical adapters, type ST
 - Up to 2 double optical adapters, type SC
 - Up to 4 single optical adapters, type SC
 - Up to 4 optical adapters LC





Monel pro d.o.o.
Špruha 15, 1236 Trzin
SLOVENIJA

Tel: +386 1 56 21 034
Fax: +386 1 56 21 035
GSM +386 40 542 278
GSM +386 40 542 279

E-mail: monel.pro@amis.net
www.monel.si